Necessity of Reference Points for EBFM

Mike Wilberg Chesapeake Biological Laboratory University of Maryland Center for Environmental Science

Wisdom of the Ages

• "If one does not know to which port one is sailing, no wind is favorable." Seneca



Purposeful Management

- To manage well, we require a vision of our destination
- Without this vision, we are unlikely to end up where we want to be





Successful Management Requires...

- Goals
- Objectives
- Reference Points



Set Goals

- Goals are general statements of what we would like to achieve
- E.g.,
 - High levels of catch
 - Happy stakeholders
 - Sustainability



Determine Objectives

- Objectives are more specific than the goals and are quantifiable
- E.g.,
 - Average catch of 8,000,000 lbs over the next decade
 - 50% reduction in complaints by stakeholders during the next two years
 - No decrease in population size during the next decade
- You cannot determine success or failure without measurable objectives!



Reference Points

- Provide a way to determine whether objectives have been met
 - Quantitative
 - Responsive to management
 - Measurable or estimable
 - Prioritized



Biological Reference Points (BRPs)

- Estimates of fishing mortality, biomass, and yield that achieve a fishery objective
- Used as guidelines in fisheries management



Targets and Limits

- Target value we would like to attain
- Limit threshold value we do not want to cross



Reference Points in Management



Reference Points in Management



Common Goals of Fisheries Management

- Optimum sustainable yield
- Sustainability
 - Prevents fishing mortality rates from being too high (overfishing)
 - Prevents abundance from becoming too low (overfished)



BRPs in Practice

- Limit reference points often based on maximum sustainable yield (MSY)
 - Biomass
 - Fishing mortality
- Target reference points often based on simplified approaches



Spawning Potential Ratio (SPR)

- Goal is to determine how much lifetime spawning potential is reduced by fishing or other mortality source
- Combine mortality, growth, and maturation
- Deterministic models



SPR



SPR uses

- 35% suggested as a general limit reference point
- 40% now commonly used as a target reference point, but higher values (50% to 60%) have been suggested for some species

Blue Crab Reference Points



Control Rules

 Reference points can be used in control rules to "automate" management



Summary

- Reference points are necessary for purposeful management
- They have a successful history in fisheries management
- Reference points can be developed from simple models and rules of thumb
- They must be quantitative, oriented toward management actions, measurable, and prioritized

Final Thoughts...

 "If You Don't Know Where You're Going, Any Road Will Get You There." --The Cheshire Cat, Alice In Wonderland

